



Performance Data: Model DCV

e = Opening in mm		ØA=100 mm							
		Air Flow, CFM							
		12	25	35	47	60	90	120	175
-9	Pressure Drop (Pa)	45	170						
	NC (dB)	-	20						
-6	Pressure Drop (Pa)	20	80	200	300				
	NC (dB)	-	-	25	28				
-3	Pressure Drop (Pa)	10	50	120	200				
	NC (dB)	-	-	17	26				
6	Pressure Drop (Pa)		20	40	80	130			
	NC (dB)		-	-	15	22			
12	Pressure Drop (Pa)		10	20	40	60	150		
	NC (dB)		-	-	-	13	27		
ØA=125 mm									
-12	Pressure Drop (Pa)	20	80	200	300				
	NC (dB)	-	-	25	28				
-6	Pressure Drop (Pa)		30	70	120	200			
	NC (dB)		-	12	20	28			
0	Pressure Drop (Pa)		20	30	60	80	200		
	NC (dB)		-	-	11	18	30		
6	Pressure Drop (Pa)		10	20	40	60	150		
	NC (dB)		-	-	-	13	27		
12	Pressure Drop (Pa)				15	25	60	100	220
	NC (dB)				-	-	15	25	31
ØA=150 mm									
0	Pressure Drop (Pa)			15	25	40	90	170	
	NC (dB)			-	-	9	21	30	
6	Pressure Drop (Pa)				15	25	60	100	220
	NC (dB)				-	-	15	25	31
12	Pressure Drop (Pa)					15	30	60	150
	NC (dB)					-	10	18	30
ØA=200 mm									
-20	Pressure Drop (Pa)	10	50	120	200				
	NC (dB)	-	-	17	26				
-15	Pressure Drop (Pa)		20	30	60	80	200		
	NC (dB)		-	-	11	18	30		
0	Pressure Drop (Pa)					15	30	60	150
	NC (dB)					-	10	18	30